

## **Expert Reviewers of the Evidence Report**

**David S. Craig, PharmD**, Department of Pharmacy, H. Lee Moffitt Cancer Center and Research Institute, Tampa, FL

**Gilbert Fanciullo, MD, MS**, Director, Pain Management Center, Fellowship Director, Pain Medicine Program, Professor of Anesthesiology, Geisel School of Medicine, Dartmouth Hitchcock Medical Center

**Michael Farrell, FRCP, FRCPsych**, Director, National Drug and Alcohol Research Centre, University of New South Wales, Australia

**Kenneth R. Goldschneider, MD, FAAP**, Pain Management Center, Cincinnati Children's Hospital Medical Center

**Hendree E. Jones, PhD**, Senior Research Psychologist, RTI International

**Mori J. Krantz, MD**, Denver Health Medical Center

**Laura F. McNicholas, MD, PhD**, Philadelphia VA Medical Center

**Bridget A. Martell, MD, MA**, Clinical Associate Professor Medicine, Yale University School of Medicine, New Haven, CT

**Andrew J. Saxon, MD**, Professor, Department of Psychiatry & Behavioral Sciences, Director, Addiction Psychiatry Residency Program, University of Washington, Director, Center of Excellence in Substance Abuse Treatment and Education (CESATE), VA Puget Sound Health Care System

**Scott Strassels, PharmD, PhD, BCPS**, Assistant Professor of Health Outcomes & Pharmacy Practice, University of Texas

**Knox Todd, MD, MPH**, Chair, Department of Emergency Medicine, MD Anderson Cancer Center

**Steven J. Weisman, MD**, Professor of Anesthesiology and Pediatrics, Medical College of Wisconsin and Jane B. Pettit Chair in Pain Management, Children's Hospital of Wisconsin

**Disclaimer:** The study design, methodological approaches, conclusions, and/or recommendations do not necessarily represent the views of the reviewers.